ELUXNET

"We are impressed by the modularity and how it can be adjusted for a variety of project types."

- Henry Luk (Project Manager), New World Dynamics, Hong Kong -

LAMP options

The simple to use click-in and click-out feature ensures hassle-free hardware upgrades. This gives you the option to change your lamp modules at any time from Simple lamp to LYNC IoT lamp.

SIMPLE

TYPES:

3000K   4000K   5700K

These are perfect if you only need your lights to turn on & off. You can choose between 3 different color temperatures: 3000K, 4000K, & 5700K.

3000K   4000K   5700K

## SIMPLE PLUS / DALI

ADJUSTABILITY:

DIMMING

Dimming with Dali! Three different color temperature options available at: 3000K, 4000K, & 5700K.

*DALI compatible lamp modules are made to order items. They also require DALI gateways.

3000K   4000K   5700K

SIMPLE

SIMPLE PLUS
/ DALI

LYNC
WHITE

LYNC
COCKTAIL

LYNC WHITE

ADJUSTABILITY:

DIMMING

COLOR TEMP: 2200K - 6500K

Using our latest Bluetooth technology, our LYNC
IoT system offers a variety of features such as
alarm & scheduling, motion detection, auto
adaptability, etc. all controllable via the Eluxnet
LYNC SC smartphone app.

LYNC COCKTAIL

ADJUSTABILITY:

DIMMING

COLOR TEMP: 2200K - 6500K

RGB COLORS

All of the functions of the LYNC White lamp + RGB
color options? We'll take one please.

*LYNC lamps available to use with the LYNC Remote and the LYNC
Smart Sensors.

PRODUCTS

INFINITY i33F FULL

70mm
2 3/4"

70mm
2 3/4"

33mm
1 5/16"

56mm
2 3/16"

Pendant/Surface/   Recessed with trim
Recessed trimless

INFINITY i33H HALF

70mm
2 3/4"

33mm
1 5/16"

Pendant/Surface/
Recessed trimless

INFINITY i55F FULL

85mm
3 17/50"

85mm
3 17/50"

55mm
2 3/16"

78 mm
3 1/16"

Pendant/Surface/   Recessed with trim
Recessed trimless

INFINITY i55H HALF

85mm
3 17/50"

55mm
2 3/16"

Pendant/Surface/
Recessed trimless

INFINITY i88F FULL

100mm
3 19/20"

100mm
3 19/20"

88mm
3 7/16"

111mm
4 3/8"

Pendant/Surface/   Recessed with trim
Recessed trimless

where to find what.

INDYLITE   INDY SIDE

65mm
2 9/16"

150mm
5 9/10"

INDYLITE   INDY UP

50mm
1 24/25"

50mm
1 24/25"

INDYLITE   INDY WALL

125mm
4 15/16"

71.3mm
2 13/16"